

Priority 1: Unsheltered, CH, Trimorbid and High Acuity

1. Unsheltered + CH + Tri-morbid + Infectious Disease High Risk + Acuity 8/9+ (I/F) = 1.0
2. Unsheltered + CH + Tri-morbid + Infectious Disease Medium Risk + Acuity 8/9+ (I/F) = 1.1
3. Unsheltered + CH + Tri-morbid + Infectious Disease Low Risk+ Acuity 8/9+ (I/F) = 1.2

Priority 2: Sheltered, CH, Trimorbid and High Acuity

1. Sheltered + CH + Tri-morbid + Infectious Disease High Risk + Acuity 8/9+ (I/F) = 2.0
2. Sheltered + CH + Tri-morbid + Infectious Disease Medium Risk + Acuity 8/9+ (I/F) = 2.1
3. Sheltered + CH + Tri-morbid + Infectious Disease Low Risk+ Acuity 8/9+ (I/F) = 2.2

Priority 3: Unsheltered and High Acuity

1. Unsheltered + CH + Infectious Disease High Risk+ Acuity 8/9+ (I/F) = 3
2. Unsheltered + CH + Infectious Disease Medium Risk+ Acuity 8/9+ (I/F) = 3.1
3. Unsheltered + CH + Infectious Disease low Risk+ Acuity 8/9+ (I/F) = 3.2
4. Unsheltered+ Not CH + 1+ years of homelessness + Infectious Disease High Risk + Acuity 8/9+ (I/F) = 3.3
5. Unsheltered+ Not CH + 1+ years of homelessness + Infectious Disease Medium Risk + Acuity 8/9+ (I/F) = 3.4
6. Unsheltered+ Not CH + 1+ years of homelessness + Infectious Disease Low Risk + Acuity 8/9+ (I/F) = 3.5
7. Unsheltered+ Not CH + 1 day-11 months of homelessness + Infectious Disease High + Acuity 8/9+ (I/F) = 3.6
8. Unsheltered+ Not CH + 1 day-11 months of homelessness + Infectious Disease Medium + Acuity 8/9+ (I/F) = 3.7
9. Unsheltered+ Not CH + 1 day-11 months of homelessness + Infectious Disease Low + Acuity 8/9+ (I/F) = 3.8

Priority 4: Sheltered and High Acuity

1. Sheltered + CH + Infectious Disease High Risk+ Acuity 8/9+ (I/F) = 4
2. Sheltered + CH + Infectious Disease Medium Risk+ Acuity 8/9+ (I/F) = 4.1
3. Sheltered + CH + Infectious Disease low Risk+ Acuity 8/9+ (I/F) = 4.2
4. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease High Risk + Acuity 8/9+ (I/F) = 4.3
5. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease Medium Risk + Acuity 8/9+ (I/F) = 4.4
6. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease Low Risk + Acuity 8/9+ (I/F) = 4.5
7. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease High Risk + Acuity 8/9+ (I/F) = 4.6
8. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Medium Risk + Acuity 8/9+ (I/F) = 4.7
9. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Low Risk + Acuity 8/9+ (I/F) = 4.8

Priority 5: Unsheltered, Low Acuity

1. Unsheltered + CH + Infectious Disease High Risk + Acuity 4-7/8 (I/F) = 5.0
2. Unsheltered + CH + Infectious Disease Medium Risk + Acuity 4-7/8 (I/F) = 5.1
3. Unsheltered + CH + Infectious Disease Low Risk + Acuity 4-7/8 (I/F) = 5.2
4. Unsheltered + Not CH + 1+ years of homelessness + Infectious Disease High Risk + Acuity 4-7/8 (I/F) = 5.3
5. Unsheltered + Not CH + 1+ years of homelessness + Infectious Disease Medium Risk + Acuity 4-7/8 (I/F) = 5.4
6. Unsheltered + Not CH + 1+ years of homelessness + Infectious Disease Low Risk + Acuity 4-7/8 (I/F) = 5.5
7. Unsheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease High Risk + Acuity 4-7/8 (I/F) = 5.6
8. Unsheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Medium Risk + Acuity 4-7/8 (I/F) = 5.7
9. Unsheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Low Risk + Acuity 4-7/8 (I/F) = 5.8

Priority 6: Sheltered, Low Acuity

1. Sheltered + CH + Infectious Disease High-Risk + Acuity 4-7/8 (I/F) = 6.0
2. Sheltered + CH + Infectious Disease Medium-Risk + Acuity 4-7/8 (I/F) = 6.1
3. Sheltered + CH + Infectious Disease Low-Risk + Acuity 4-7/8 (I/F) = 6.2
4. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease High-Risk + Acuity 4-7/8 (I/F) = 6.3
5. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease Medium-Risk + Acuity 4-7/8 (I/F) = 6.4
6. Sheltered + Not CH + 1+ years of homelessness + Infectious Disease Low-Risk + Acuity 4-7/8 (I/F) = 6.5
7. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease High-Risk + Acuity 4-7/8 (I/F) = 6.6
8. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Medium-Risk + Acuity 4-7/8 (I/F) = 6.7
9. Sheltered + Not CH + 1 day-11 months of homelessness + Infectious Disease Low-Risk + Acuity 4-7/8 (I/F) = 6.8

Score <4 =7.0